

University of Groningen

Studies on calcium excretion in diabetic children

Damme-Lombaerts, Rita Melania Marcel Maria van

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1977

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Damme-Lombaerts, R. M. M. M. V. (1977). *Studies on calcium excretion in diabetic children*. [Thesis fully internal (DIV), University of Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN

1. Het bepalen van de 24 uurs excretie van calcium in de urine dient opgenomen te worden in het nefrologisch exploratie programma van diabetische kinderen.
2. De bruikbaarheid van de orale calcium belastings-test in de differentiaal diagnose van hypercalciurie is vooral toe te schrijven aan de korte duur van de test.

Pak et al., New Engl. J. Med.
292, 497.
3. Het advies inzake insuline spuiten uitgebracht door het Nationaal Centrum voor Kruiswerk aan de apothekers en apotheekhoudende artsen in Nederland is voor kinderen met diabetes mellitus onjuist.
4. Bij patienten met chronische proteinurie en verminderde nierfunctie is het aangewezen de diameter van de glomeruli te meten.
5. Pharmacologische sluiting van de ductus Botalli bij pasgeborenen verdient wel de aandacht, maar (nog) geen toepassing.
6. De veronderstelling dat akute post streptokokken glomerulonefritis een progressieve aandoening is, is onwaarschijnlijk.
7. Het nut van een groot aantal laboratoriumbepalingen bij een gezonde populatie is niet aangetoond.

8. Bij de kort segment Hirschprung dient naast de dilatatie ook plaats te worden ingeruimd voor de posterior myectomy.
9. Bij kinderen met pseudohypoaldosteronisme wijst de bestudering van de zoutreabsorptie onder hypotoon zoutinfuus op een proximale tubulair defect.
10. Ouderparticipatie in de school betekent niet dat de ouders plaats nemen in de stoel van de leerkrachten.
11. De lofzang over huishoudelijk werk, als een eervolle taak voor de vrouw, is een hoffelijke manier van de man om dit soort werk aan haar over te laten.

Stellingen bij "Studies on urinary excretion of calcium in diabetic children",
R. Van Damme-Lombaerts, 15 juni 1977